




The State of New Hampshire  
*Department of Environmental Services*



Michael P. Nolin  
Commissioner

May 16, 2005

Mr. Jon Francis  
Wentworth Elementary School  
P.O. Box 139  
Wentworth, New Hampshire 03282-0139

**LETTER OF COMPLIANCE**  
**For**  
**LETTER OF DEFICIENCY**  
**No. ARD 2005-004**

Dear Mr. Francis:

The New Hampshire Department of Environmental Services, Air Resources Division ("DES"), has reviewed the actions taken at the Wentworth Elementary School located in Wentworth, NH (the "School") in response to Letter of Deficiency No. ARD 2005-004 ("LOD"). DES has determined that the specific issues addressed in the LOD have been resolved in a manner consistent with the provisions of the Asbestos Hazard Emergency Response Act of 1986 ("AHERA"), 15 USC Section 2641 *et seq.*, and the regulations promulgated pursuant to AHERA, 40 Code of Federal Regulations Part 763, Subpart E – *Asbestos Containing Materials in Schools*. Based upon a determination by DES that compliance with the LOD has been achieved, DES issues this Letter of Compliance.

Please be advised that DES will continue to monitor the compliance status at the School. Further, this letter does not provide relief against any existing or future violations, and refers only to the compliance issues addressed in the LOD.

DES recognizes the efforts that you have taken to come into compliance. If you have any questions regarding this Letter of Compliance, please contact Marjorie Yin, Compliance Bureau, Air Resources Division, at (603) 271- 4555. Thank you for your cooperation.

Sincerely,

Pamela G. Monroe  
Compliance Bureau Administrator  
Air Resources Division

PGM/jwr

cc W. Toland, EPA Region 1  
G. Hamel, Legal Unit Administrator